



**Annenberg Science Knowledge Survey: Zika**  
**June 2-June 6, 2016**  
**(Week 17: N=1,023)**

**Appendix**

*Some say that because of Zika virus in Brazil, the Summer Olympics scheduled to take place there in August should be cancelled, postponed or moved to another country, while others say the games should go on as scheduled. Which comes closer to your view? (READ LIST)\*\**

	<b>The games should be cancelled, postponed, or moved to another country</b> %	<b>The games should go on as scheduled</b> %	<b>Neither (VOL.)</b> %	<b>Don't know</b> %	<b>Refused</b> %
6/6/16	59	36	2	3	1

\*\* Total greater than 100% due to rounding

*Just your best guess, which of the following statements comes closest to what the Centers for Disease Control and Prevention, CDC, recommends for applying insect repellent: (READ LIST)\*\**

	<b>Put on sunscreen first, let it dry, and then put on insect repellent</b> %	<b>Put on insect repellent first, let it dry, and then put on sunscreen</b> %	<b>It doesn't matter the order in which you put on insect repellent and sunscreen, but use both if you are in an area with mosquitoes</b> %	<b>Use a sunscreen with insect repellent in it</b> %	<b>Don't know</b> %	<b>Refused</b> %
6/6/16	36	10	26	19	10	*

\*Less than 0.5%

\*\* Total greater than 100% due to rounding

Again, just your best guess, which of the following statements comes closest to what the Centers for Disease Control and Prevention, CDC, recommends for applying insect repellent? (READ LIST)\*\*

	Put insect repellent on your body first and then put clothes on over areas protected by repellent %	Do not put insect repellent under clothing %	It doesn't matter whether you put insect repellent under your clothing or not but you should use insect repellent if you are in an area with mosquitoes %	Don't know %	Refused %
6/6/16	37	13	45	4	*

\*Less than 0.5%

\*\* Total less than 100% due to rounding

And just your best guess, which of the following statements comes closest to what the Centers for Disease Control and Prevention, CDC, recommends for applying insect repellent to an infant? (READ LIST)

	Insect repellent can be used on babies younger than 2 months old %	Insect repellent should not be used on babies younger than 2 months old, dress them in clothing that covers arms and legs and place mosquito netting over their cribs, strollers, and baby carriers %	Don't know %	Refused %
6/6/16	11	84	4	*

\*Less than 0.5%

\*\* Total less than 100% due to rounding

And again, just your best guess, which of the following statements comes closest to what the Centers for Disease Control and Prevention, CDC, recommends for finding insect repellent. To find the best repellent: (READ LIST)

	Look for one that says it is EPA registered %	Look for the one with over 50 percent DEET %	Look for one that says it is natural %	Don't know %	Refused %
6/6/16	40	35	17	7	1

## ANNENBERG SCIENCE KNOWLEDGE SURVEY METHODOLOGY

The Annenberg Science Knowledge (ASK) survey was conducted for the Annenberg Public Policy Center via telephone (CATI) by SSRS, an independent research company. Interviews were conducted from **June 2-June 6, 2016** among 1,023 U.S. adults, aged 18 and older, drawn from a national probability sample in all 50 states. The dual frame sample, included 611 cell phone respondents and 37 respondents who completed the survey in Spanish. Data were weighted to represent the target U.S. adult population. The adjusted margin of error for total respondents is +/- 3.67 % at the 95% confidence level. The response rate was 10% (AAPOR RR 3).

For more detail on the methodology, including sampling, within household respondent selection, weighting variables and procedures, please visit [SSRS Omnibus](#).